

BAVTRAK

© 025mini | CRUSHER 

WWW.BAVCRUSHERS.CO.UK

BIG MOUTH.

SMALL FOOTPRINT.



BAVTRAK
85  **CRUSHERS**

BAVTRAK

© 025mini | CRUSHER 

SAVE WITH THE

BAVTRAK 025



Save on skip hire.



Save on aggregate and
hardcore deliveries.



Save on manual
labour costs.



Save on time.

Recycling rubble on compact job sites has never been easier than with the BAVTRAK 025.

With its class-leading 630 x 330mm jaw feed area and fully hydrostatic crusher mechanism the 025 effortlessly processes rubble.



POWERFUL AND DURABLE

The quiet, powerful Hatz 'Silent Pack', air-cooled diesel engine provides effortless performance and reliability.

The BAVTRAK 025 is compatible for loading with 3 to 7.5 tonne mini and midi excavators.

Mounted on rubber tracks, the 025 is fitted with a two-speed tracking system as standard.

EASILY ADJUSTABLE

With the BAVTRAK 025, you have complete control of product sizing. Crushing output size can be adjusted to one of three grades within seconds, without the need for any special tools, using a simple adjuster lever.

The processed grade of the material can be tailored to suit the job requirements.

**Huge jaw feed area and
Patent-Applied-for twin-jaw
mechanism give effortless
crushing with minimal blockages.**



THE BAVTRAK 025

SAVES TIME AND MONEY

Environmental awareness is driving new legislation and increasing the cost of building site waste disposal, as well as quarried aggregates. Recycling, where possible, is preferable to moving waste off-site.

Additionally, crushing on site frees-up space dedicated to skips.

Job times are better controlled as they are no longer reliant on collections of waste rubble and deliveries of aggregates and stone.

Damage and environmental nuisance caused by vehicle traffic to and from site are reduced greatly.

Year by year, environmentally led taxes will increase the economic case for good waste management and recycling practice on site.



Small enough for compact job sites.


Big enough for 'real-world' rubble processing.

Fast enough for efficient, on-site recycling.

Durability and reliability to ensure profit.

BAVTRAK 025

SPEC



The British designed and manufactured 025 has reliability and ease of maintenance built-in.

Engine: 24.4KW (33HP) Hatz, air cooled 'Silent Pack' diesel
Transmission: 2 speed hydrostatic
Fuel tank: 40 litres
Hydraulic tank: 160 litres
Weight: 2,990kg

Plus:

- Patent Applied for twin-jaw crusher
- 630 x 330mm jaw feed area
- Centralised crusher lubrication system
- Exit conveyor & dust suppression fitted as standard.



We have been designing crushers since 1999 and can also provide excavator mounted BAV Alligator Crusher attachments, which allow you to reduce larger sections prior to feeding into your BAVTRAK.

BAV Alligator Crusher attachments also cut reinforcing wires and bars.

Maximum productivity, means avoiding the needless processing of soil and fines and reducing the risk of blockage with wet soil.

We recommend loading BAVTRAKs using our MultiScreen riddle buckets, which have two interchangeable mesh back plates; 25mm & 50mm.



Manufactured by:

DIGBITS Limited,

Power Park,

Towers Business Park,

Rugeley,

Staffordshire

WS15 1UZ

T : 01889 503020

F : 01889 503021

E : sales@digbits.co.uk

W : www.bavcrushers.co.uk

